

Attachment to Report 01.840

Surface Water Management Zone	Priority Rating	Notes
Mangatarere	1	<ul style="list-style-type: none"> Water allocation plan currently being prepared.
Parkvale	1	<ul style="list-style-type: none"> Water allocation historically considered fully allocated.
Lake Wairarapa	2	<ul style="list-style-type: none"> Significant increased pressure on lake resources
Lower Ruamahanga	2	<ul style="list-style-type: none"> Significant increased pressure on Lower Ruamahanga. Still allocation available under RFP.
Otakura	2	<ul style="list-style-type: none"> Otakura catchment historically had water allocation difficulties.
Papawai	2	<ul style="list-style-type: none"> WAP initiated back in 1996. Some assessment completed.
Taueru	2 – Taueru River 2 – Makahakaha Stream	<ul style="list-style-type: none"> Both Taueru and Makahakaha catchments highly stressed.
Whangaehu	2 – Whangaehu River & Poterau Stream	
Aorangi	2 - Huangarua catchment 3 – Turanganui and Tauanui Rivers 4 – All other catchments	<ul style="list-style-type: none"> Huangarua catchment seen as highest priority – some WAIORA work already completed.
Rimutaka	2 - Donalds Creek 4 – Boar Bush Stream 4 – All other catchments	<ul style="list-style-type: none"> Donalds Creek only stressed watercourse due to water allocation and Featherston sewage discharge.
Tauherenikau	2 – Dock Creek 3 – All other catchments 4 – Taits Creek 5 – Tauherenikau River	<ul style="list-style-type: none"> Still allocation of water available from Tauherenikau River under RFP. Dock Creek highly stressed.
Masterton streams	3 – Makoura Stream 4 - Kuripuni Stream	<ul style="list-style-type: none"> RFP identifies Makoura Stream as needing water quality enhancement.
Waingawa	3 – Hyslops Stream 4 – Kells Stream 5 – Waingawa River	<ul style="list-style-type: none"> Still small allocation available under RFP.
Eastern hills	4 – All catchments	
Kopuaranga	5	<ul style="list-style-type: none"> Water allocation plan finalised - currently being inserted as update to policy 6.2.1 of RFP. Fully allocated under both KRWAP and RFP.
Upper Ruamahanga	5	<ul style="list-style-type: none"> Water allocation plan finalised. Currently being inserted into RFP. Water allocation upstream of Wardells bridge fully allocated.
Waiohine	5	<ul style="list-style-type: none"> Still small allocation available under RFP.
Waipoua	5	<ul style="list-style-type: none"> Water allocation plan finalised. Currently being inserted into RFP.